



Marchio/Brand

Tecfrigo

Articolo/Article

CA7AXY-10AAC

Modello/Model

HELIOS 100 DISPLAY
SP



ATTENZIONE: IMMAGINE PURAMENTE INDICATIVA, ACCESSORI ED OPTIONAL NON INCLUSI/ATTENTION: THE PHOTO IS PURELY INDICATIVE, ACCESSORIES AND OPTIONALS NOT INCLUDED

Use, Configuration and General Features

Categoria prodotto/Product category	Market
Specifiche/Specific	sliding doors, without panels, steel finish, Self service
Colori Standard/Standard colors	Stainless steel
Colori Optional/Optional colors	Inside RAL color, Outside RAL color
Serratura/ Locks	N.A.
Luce interna/ Internal light	LED
Dotazione Interna/Internal Equipment	0, 44
Tipologia dotazione/Equipment type	M2 Exhibition Area
Descrizione Dotazione/Equipment Description	Stainless steel top

Operating Conditions and Climate Class

Temperatura di funzionamento/Working temperature /T°	+4/+8
Temperatura di funzionamento vano 2/2nd Compartment Working temperature /T°	N.A.
Classe climatica/Climatic class	3
Temperatura classe climatica/Climate class temperature/T°	25
Umidità classe climatica/Humidity climatic class	60%

Dimensions, Weight and Capacity

Dimensioni LxPxH/Dimensions LxDxH /mm	1000x959x1300
Peso Netto/Net weight/Kg	0
Dimensioni con imballo LxPxH/dimensions with package LxDxH/mm	1150x1150x1570
Peso Lordo/Gross weight/Kg	26
Capacità (L)/ Capacity /Lt.	0

Electrical Data and Energy Components

Tensione/ Tension /Volt	230
Frequenza (Hz)/Frequency (Hz):/Hz	50
Corrente nominale (Ampere)/Nominal current (amps)/Ampere	0
Potenza/ Power /Kwatt	0
Potenza Resistenze/Power resistance	0
Potenza Lampade/Power lamps	0

Refrigeration System and Performance

Gas refrigerante/ Cooling gas	R290
Carica del gas (kg)/Gas charge/Kg	0, 08
Refrigerazione/ Refrigeration	Ventilated
Refrigerazione vano 2/ 2nd Compartment Refrigeration	N.A.
Sbrinamento/ Defrosting	Automatic Hot Gas
Sbrinamento vano 2/ 2nd Compartment Defrosting	N.A.
Evaporazione acqua di sbrinamento/ Evaporation of defrost waer	AUT
Umidità/Humidity	N.A.
Umidità vano 2/2nd Compartment humidity	N.A.
Numero compressori/Compressors number	1
Potenza frigorifera/Refrigeration power	0
Pressione di collaudo/Testing pressure/Bar	30

OPTIONALS

Modello

Condensazione ad acqua/Condensation by water

Serratura (per ogni porta)/Lock (for every door)

Kit porte scorrevoli lato cliente/Sliding doors on customer side

Colore Ral parti interne/Inside RAL color

Colore Ral parti esterne/Outside RAL color

ACCESSORIES

Codice acc / Modello